COVERAGE NAME: HYDRO

COVERAGE AREA: COUNTY

COVERAGE DESCRIPTION:

The hydrography layer originally came from the USGS in digital line graph (DLG-3) data format. DLG-3 data were captured from 1:100,000-scale maps by manual digitizing and raster scanning. There are approximately 3200 DLG files represented in the statewide hydrography data layer.

The hydrography layer consists of all flowing waters, standing waters, and wetlands---both natural and manmade. The coverages contain two separate feature types: polygons (areas) and lines. Polygon features have attribute codes that identify water bodies such as lakes, wide river segments, or swamps. Line features have attribute codes that represent streams or shorelines.

Edits to the original linework have been made during the data conversion by Teale from the original DLG-3 format to the Arc/INFO(tm) GIS format. Such changes include line movements (due to the map edge-matching process), minor corrections of attribute coding, and the closing of open polygons. Flow direction for streams (type line) has also been added. Stream lines are flagged (where item FLOW = 1) to indicate whether or not the direction of a given stream (line) has been defined and/or verified by Teale.

County lines (a separate Teale data layer) and hydrography lines are not reconciled with each other and discrepancies between the two will occur when a county boundary follows a water feature.

Hydrography of the entire state is stored in 33 separate ARC/INFO coverages or tiles, whose individual boundaries correspond to the USGS 1:250,000-scale quad series (see index coverage called hydroindexa and index diagram below). Coverage names consist of two unique characters plus a suffix -JHYSA. Most of the two-letter codes abbreviate a quad name, for example: RDJHYSA, for the Redding quad. The tiles are also numbered from 1 to 33, northwest to southeast, and this numeric code is contained in the item HYSNUM. A separate item, HSCKEY, contains a number unique to each arc within a tile. Both the HYSNUM and HSCKEY items are contained in the coverage's Arc Attribute Table (AAT).

In 1992, the Teale hydrography data layer was sent to US EPA for use in their River Reach File system version 3, also known as Reach File 3 or RF3-alpha. RF3 is US EPA's national hydrographic addressing system which contains unique location and connectivity codes, water feature names, and update documentation. This system was developed by Horizon Systems Corporation, under contract to the US EPA Office of Water. RF3 as archived at Teale consists of US EPA-generated data tables, designated by the filename extension .DS2 (for example: RDJHYSA.DS2). The DS2 file is stored as an 'external' data table within the hydro workspace's INFO subdirectory.

There are two ways to link the RF3 records in the DS2 files with the hydrography arc attribute tables (AAT). The first involves the item RF3RCHID, which is a concatenated string consisting of three fields: the USGS Cataloging Unit (CU, an 8-digit watershed code), a numeric stream segment identifier (SEG), and a Marker Index (MILE), an item indicating relative upstream position along a given SEG. The second way to link the DS2 and the AAT is on the HSCKEY item described above. The RF3RCHID and HSCKEY items are present in the Teale versions of both the DS2 and AAT files. Note: the most reliable primary key for individual hydrography features consists of HYSNUM combined with HSCKEY.

VITAL STATISTICS:

Datum:
Projection:
Units:
Style="background-color: lighter;">
NAD 83
Albers
Units:
Units:
Meters
1st Std. Parallel:
2nd Std. Parallel:
40 30 00
Longitude of Origin:
Latitude of Origin:
00 00 00

False Easting (X shift): 0

False Northing (Y shift): -4,000,000

Source: USGS DLG-3 (optional format)
Source Media: Magnetic tape (80 byte records)
Source Projection: Universal Transverse Mercator

UTM Zones 10 & 11

Source Units: Meters Source Scale: 1:100,000

Capture Method: Scanned, digitized Conversion Software: ARC/Info rev 5.0.1

Data Structure: Vector

ARC/INFO Coverage Type: NET (Line, polygon)

ARC/INFO Precision: Double

ARC/INFO Tolerances: 0 to 200 meters

Number of Features: 16,077 Layer Size: 116.970 MB

Data Updated: September 1993 (added RF3 line feature table)

(other unscheduled updates have been made, see

original log file in Teale workspace)

DATA DICTIONARY:

DATAFILE NAME: HYDRO.AAT where xx = tile code (see index)

RECORD LENGTH: 98

Non-standard LINE attribute fields:

COLUMN ITEM NAME WIDTH OUTPUT TYPE N.DEC

33	MAJOR1	4	6	В	-
37	MINOR1	4	6	В	-
41	MAJOR2	4	6	В	-
45	MINOR2	4	6	В	-
49	MAJOR3	4	6	В	-
53	MINOR3	4	6	В	-
57	MAJOR4	4	6	В	-
61	MINOR4	4	6	В	-
65	MAJOR5	4	6	В	-
69	MINOR5	4	6	В	-
73	FLOW	1	1	I	-
74	HSCKEY	6	6	I	-
80	HYSNUM	2	2	I	-
82	RF3RCHID	17	17	C	-

NOTE: Items common to all LINE coverages: FNODE#, TNODE#, LPOLY#, RPOLY#, LENGTH, HYDRO# and HYDRO-ID are not described here; with one exception:

HYDRO-ID: where User ID negative (<0), arc is an artificial neatline (coverage or tile boundary).

FLOW: If equal to 1, flow direction is defined; if equal to 0, no direction is defined.

HSCKEY: Unique sequence number. Item was created for EPA's Reach File System. Use HSCKEY to relate to the RF3 DS2 data file of a given tile (see HYSNUM below).

HYSNUM: Hydrography quad tile sequence number; 1 through 33. Item was created for EPA's Reach File System; combine with HSCKEY to uniquely code features across tiles.

RF3RCHID: Primary key of RF3; concatenates CU, SEG, MILE; see desrcription of HYDRO.DS2 files below.

MAJOR1-5: Major codes denote hydrography (code 50) as the major feature category to which a line element belongs (as opposed to property boundaries, roads, etc within DLGs).

MINOR1-5: Minor codes assign up to five descriptive subcategories to any single hydrography line element.

	or Min	or le # Element Description
50	200	Shoreline
50	201	
50	202	Closure line
50	203	Indefinite shoreline
50	204	Apparent Limit
50	205	Outline of a Carolina bay
50	206	Danger curve
50	400	Rapids
50	401	Falls
50	402	Gravel pit/quarry filled w/water
50	403	Gaging station
50	404	Pumping station
50	405	Water intake
50	406	Dam or weir
50	407	Canal lock or sluice gate
50	408	Spillway
50	409	Gate(flood,tidal,head,check)
50	410	Rock
50	411	Crevasse
50	412	Stream
50	413	Braided stream
50	414	Ditch or canal
50	415	Aqueduct
50	416	Flume
50	417	Penstock
50	418	Siphon
50	419	Channel in water area
50	420	Wash or ephemeral drain
50	421	Lake or pond

50	422	Coral reef
50	423	Sand in open water
50	424	Spoil area
50	425	Fish ladders
50	601	Underground
50	602	Overpassing
50	603	Elevated
50	604	Tunnel
50	605	Right bank
50	606	Left bank
50	607	Under construction
50	608	Salt
50	609	Unsurveyed
50	610	Intermittent
50	611	Abandoned or discontinued
50	612	Submerged or sunken
50	613	Wooded
50	614	Dry
50	615	Mineral or hot (sulphur,alkali,etc.)
50	616	Navigable transportation
50	617	Underpassing
50	618	Earthen construction
50	000	Photorevised feature
05N		Water surface elevation, actual or
		interpolated.
		N = elevation units
		1=feet
		2=meters
		6=feet below datum
		7=meters below datum
053		Angle of clockwise rotation (nearest whole degree)
055		River mile, value in four spaces, right justified
058	000	Best estimate of classification or position
059	0	Coincident feature

DATA DICTIONARY:

DATAFILE NAME: HYDRO.DS2 $\,$ where $\,$ xx = tile code (see index) RECORD LENGTH: $\,$ 450

Non-standard LINE attribute fields:

COLUMN	ITEM NAME	WIDTH	OUTPU	JT TYP	PE N.	DEC DESCRIPTION
1	CU	8	8	I	-	Catalog Unit
9	SEG	4	4	I	-	Segment No.
13	MILE	5	5	N	2	Mile Point
18	UPMI	5	5	N	2	Upstream Mile Pt.
23	RFLAG	1	1	C	-	Reach Flag
24	OWFLAG	1	1	C	-	Open Water Flag
25	TFLAG	1	1	C	-	Terminal Flag
26	SFLAG	1	1	C	-	Start Flag
27	REACHTYPE	1	1	C	-	Reach Type Code
28	LEVEL	2	2	I	-	Stream Level
30	JUNC	2	2	I	-	Downstream Rch Lvl
32	DIVERGENCE	1	1	I	-	Divergence Code
33	USDIR	1	1	C	-	Upstream Direction
34	TERMID	5	5	I	-	Terminal Stream ID
39	TRMBLV	1	1	I	-	Terminal Base Level
40	PNAME	30	30	C	-	Primary Name
70	PNMCD	11	11	C	-	Primary Name Code
81	CNAME	30	30	C	-	Complement Name
111	CNMCD	11	11	C	-	Complement Name Code
122	OWNAME	30	30	C	-	Open Water Name
152	OWNMCD	11	11	C	-	Open Water Name Code
163	DSCU	8	8	I	-	Downstream CU
171	DSSEG	4	4	I	-	Downstream SEG
175	DSMI	5	5	N	2	Downstream MI
180	CCU	8	8	I	-	Complement CU
188	CSEG	4	4	I	-	Complement SEG
192	CMILE	5	5	N	2	Complement MI
197	CDIR	1	1	C	-	Complement Direction
198	ULCU	8	8	I	-	Upstream Left CU
206	ULSEG	4	4	I	-	Upstream Left SEG
210	ULMI	5	5	N	2	Upstream Left MI
215	URCU	8	8	I	-	Upstream Right CU
223	URSEG	4	4	I	-	Uppstream Right SEG
227	URMI	5	5	N	2	Upstream Right MI
232	SEGL	6	6	N	2	Reach Length (Miles)
238	RFORGFLAG	1	1	I	-	RF Origin flag(1-3)
239	ALTPNMCD	8	8	I	-	Alt. Prime Name Code
247	ALTOWNMC	8	8	I	-	Alt. OW Name Code
255	DLAT	8	8	N	4	Downstream Latitude
263	DLONG	8	8	N	4	Downstream Longitude
271	ULAT	8	8	N	4	Upstream Latitude
279	ULONG	8	8	N	4	Upstream Longitude
287	MINLAT	8	8	N	4	Minimum Latitude
295	MINLONG	8	8	N	4	Minimum Longitude
303	MAXLAT	8	8	N	4	Maximum Latitude
311	MAXLONG	8	8	N	4	Maximum Longitude

319 323 327 331 335 339 343 347 353 361	NDLGREC Ln1AT2 Ln2AT2 AR1AT2 AR1AT4 AR2AT2 AR2AT4 UPDATE1 UPDTCD1 UPDTSRC1	4 4 4 4 4 4 6 8 8	4 4 4 4 4 4 6 8 8	I I I I I C C C	-	No. of DLG Records DLG Line Attribute 1 DLG Line Attribute 2 DLG Area Attribute DLG Area Attribute DLG Area Attribute DLG Area Attribute Updt Date #1(MMDDYY) Updt Type Code #1 (This field set to correspond to Teale DLG dataset ids-See HYSNUM and HSCKEY)
369 375 383 391 397 405	UPDATE2 UPDTCD2 UPDTSRC2 UPDATE3 UPDTCD3 UPDTSRC3	6 8 8 6 8	6 8 8 6 8	C C C C C	- - - -	Updt Date #2(MMDDYY) Updt Type Code #2 Updt Source #2 Updt Date #3(MMDDYY) Updt Type Code #3 Updt Source #3
413 421 425 430	DIVCU DIVSEG DIVMI DLGID	8 4 5 6	8 4 5 6	I I N I	- 2 -	Divergent CU Divergent SEG Divergent MI DLG Number (special use)
436 443	FILLER HSCKEY	7 6	7 6	C I	-	Filler for Future use (Added by Teale-Value is same as last 6 digits of UPDTSRC1- Relate key to the AAT file)
449 ** DED	HYSNUM EFINED ITEMS **	2	2	I	-	(Added by Teale- Value same as first 2 digits of UPDTSRC1-Hydro quad sequence number 1-33)
1	RF3RCHID	17	17	C	-	(Reach number that uniquely identifies all reaches)

DATA DICTIONARY:

DATAFILE NAME: HYDRO.PAT

RECORD LENGTH: 56

Non-standard POLYGON attribute fields:

COL	UMN	ITEM	NAME	WII	HTC	OUTPUT	TYPE	N.DEC
25	MAJ	OR1	4	6	В	-		
29	MIN	OR1	4	6	В	-		
33	MAJ	OR2	4	6	В	-		
37	MIN	OR2	4	6	В	-		
41	MAJ	OR3	4	6	В	-		
45	MIN	OR3	4	6	В	-		
49	MAJ	OR4	4	6	В	-		
53	MIN	OR4	4	6	В	-		

NOTE: Items common to all POLYGON coverages: AREA, PERIMETER, HYDRO# and HYDRO-ID are not described here.

MAJOR1-4: Major codes denote hydrography (code 50) as the major feature category to which an area element belongs.

MINOR1-4: Minor codes assign up to four descriptive subcategories to any single hydrography area element.

	Mino # Code	or e # Element Description
50	100	Alkali flat
50		
	102	
50		
50	104	
50	105	
	106	Fish hatchery or farm
50	107	
50	108	
50	109	
50	110	Tailings pond
50	111	Marsh, wetland, swamp, bog
50	112	
	113	Rice Field
50	114	Cranberry bog
50	115	Flats(tidal,mud,sand,gravel)
50	116	Bays, estuaries, gulfs, oceans, seas
50	117	Shoal
50	118	Soda evaporator
50	119	Duck pond
50	400	Rapids
50	401	Falls
50	402	Gravel pit/quarry filled w/water
50	403	Gaging station
50	404	Pumping station

```
50
     405
            Water intake
50
     406
            Dam or weir
50
     407
            Canal lock or sluice gate
50
      408
             Spillway
      409
             Gate(flood,tidal,head,check)
50
50
      410
             Rock
50
      411
             Crevasse
50
      412
             Stream
50
     413
            Braided stream
50
     414
            Ditch or canal
50
     415
            Aqueduct
50
      416
             Flume
50
      417
             Penstock
50
      418
             Siphon
50
     419
            Channel in water area
50
     420
            Wash or ephemeral drain
50
      421
             Lake or pond
50
     422
            Coral reef
     423
50
             Sand in open water
50
      424
            Spoil area
50
      425
             Fish ladders
50
      601
             Underground
50
      602
             Overpassing
50
     603
            Elevated
50
      604
             Tunnel
50
      605
             Right bank
50
      606
            Left bank
50
      607
             Under construction
50
      608
             Salt
             Unsurveyed
50
      609
50
     610
            Intermittent
50
     611
            Abandoned or discontinued
50
      612
             Submerged or sunken
50
      613
             Wooded
50
      614
             Dry
50
     615
             Mineral or hot (sulphur, alkali,etc.)
50
     616
            Navigable transportation
50
      617
             Underpassing
50
     618
            Earthen construction
50
     000
            Photorevised feature
```

DATA QUALITY ASSESSMENT:

The following are subjective comments regarding this data.

The USGS DLG features of this layer are fairly complete. The density of line work representing drainage networks appears to vary arbitrarily from quad to quad, and there are discontinuities in lines depicting streams at the edges of 100k quads. The geographic feature accuracy is fair. Contiguous features are not always matched across map sheet boundaries. The attribute completeness and accuracy is good. The US EPA River Reach file as archived at Teale is an alpha release (prototype). As such, users are cautioned to verify drainage network connectivity and water feature names before undertaking extensive processing using RF3 data.

SUPPLEMENTARY INFORMATION (courtesy of Department of Fish & Game)

In 1993, US EPA changed the DS2 file designator to DS3 and changed the MILE and related items from numeric type to character type. No data content changes were made. At this writing, the hydrography layer is archived with the DS2 files.

The DS2 / DS3 item UPDTSRC1 concatenates HYSNUM and HSCKEY for those records that have a corresponding AAT record. UPDTSRC1 contains the value 9999 for DS2 / DS3 records created by US EPA that have no corresponding record in the hydrography layer. UPDTSRC1 contains leading zeroes for single-digit HYSNUM values.

INDEX TO 1:100,000 DLG HYDROGRAPHY

ARC/INFO coverage names are composed of the prefixes shown in the statewide grid below (some are abbreviations of the USGS 1:250,000-scale quad map series names), plus the suffix JHYSA for the line and polygon data layers (for example, RDJHYSA, for the Redding quad).

The item HYSNUM in the ARC/INFO feature attribute tables contains the indicated numeric values to reference the tile within which a given feature falls.

							HYS	NUM	QUAD NAME
	126			120W					
42N		OREGO)N	_				1	CRESCENT CITY
	ZF	WE	AC					2 3	WEED
	1	2	3	N				3	ALTURAS
41		_		E				4	EUREKA
	EA	RD	XJ	V				5	REDDING
	4	5	6	A				6	SUSANVILLE
40	<u></u>	_		D				7	UKIAH
		UK	CQ	A				8	CHICO
		7	8	1	18			9	SANTA ROSA
	39	<u> </u>	Ĺ	Ĺ				10	SACRAMENTO
		X9	SO	WK				11	WALKER LAKE
		9	10	11	1	16		12	SAN FRANCISCO
	38	<u> </u>	İ	İ	<u> </u>			13	SAN JOSE
		SF	SJ	MZ	GU			14	MARIPOSA
		12	13	14	15	İ		15	GOLDFIELD
	37	<u> </u>	İ	İ	<u> </u>	İ		16	(no USGS name)
		SX	ZP	FO	DV	İ		17	MONTEREY
		16	17	18	19	1	14	18	FRESNO
	36	<u> </u>	İ	İ	<u>i</u>	İ		19	DEATH VALLEY
		,	SL	BF	TJ	KI		20	SAN LUIS OBISPO
			20	21	22	23	İ	21	BAKERSFIELD
		35	İ	İ	<u> </u>	İ	A	22	TRONA
			SM	LA	SB	NE	R	23	KINGMAN
			24	25	26	27	I	24	SANTA MARIA
		34	İ	İ	<u> </u>	İ	Z	25	LOS ANGELES
			SV	LB	SN	S6	O	26	SAN BERNARDINO
			28	29	30	31	i N	27	NEEDLES
		33	İ	İ	<u> </u>	Í	A	28	SANTA ROSA ISLAND
				· :	SD	EL	İ	29	LONG BEACH
				ĺ	32	33	İ	30	SANTA ANA
		3	32	j			.	31	SALTON SEA
				•	MEXICO			32	SAN DIEGO
								33	EL CENTRO

Each quad covers an area one degree of latitude by two degrees of longitude, except as noted: ZF, WE, AC, XJ, and CQ coverage boundaries have been extended to include hydrographic features between the quad lines and the State Boundary; SD and SV include Channel Islands; no Teale data beyond the Mexico border (---).

See the coverage hydroindexa in /tlib/hydro for a gis version of this index map.